

ANALYTICAL RESULTS SUMMARY

GENERAL CHEMISTRY

PROJECT NAME : RFP 265

WESTON SOLUTIONS, INC.

Raritan Plaza Suite 201

1090 King Georges Post Road

Edison, NJ - 08837-3703

Phone No: 732-225-6116

ORDER ID : E3848

ATTENTION : Smita Sumbaly



DoD ELAP

Table Of Contents for E3848

| | |
|------------------------------|----|
| 1) Signature Page | 3 |
| 2) Case Narrative | 4 |
| 2.1) Genchem- Case Narrative | 4 |
| 3) Qualifier Page | 5 |
| 4) QA Checklist | 6 |
| 5) Genchem Data | 7 |
| 6) Shipping Document | 20 |
| 6.1) CHAIN OF CUSTODY | 21 |
| 6.2) ROC | 22 |
| 6.3) Lab Certificate | 23 |

1

2

3

4

5

6

Cover Page

Order ID : E3848

Project ID : RFP 265

Client : Weston Solutions, Inc.

Lab Sample Number

E3848-01
E3848-02
E3848-03
E3848-04
E3848-05
E3848-06
E3848-07
E3848-08
E3848-09
E3848-10

Client Sample Number

P001-DW-5027-3
P001-DW-5029-3
P001-DW-6006-3
P001-DW-6009-3
P001-DW-6010-3
P001-DW-6011-3
P001-DW-6017-3
P001-DW-6018-3
P001-DW-6021-3
P001-DW-6024-3

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 10/2/2013

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE**Weston Solutions, Inc.****Project Name: RFP 265****Project # N/A****Chemtech Project # E3848****Test Name: Corrosivity,Flash Point,Ignitability,Reactive Cyanide,Reactive Sulfide****A. Number of Samples and Date of Receipt:**

10 Solid samples were received on 09/25/2013.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Flash Point, Ignitability, RCRA CHARACTERISTICS, Reactive Cyanide and Reactive Sulfide. This data package contains results for Corrosivity,Flash Point,Reactive Cyanide,Reactive Sulfide.

C. Analytical Techniques:

The analysis of Flash Point was based on method 1010A, The analysis of Ignitability was based on method 1030, The analysis of Reactive Cyanide was based on method 9012B, The analysis of Reactive Sulfide was based on method 9034 and The analysis of Corrosivity was based on method 9045C.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following " Results Qualifiers" are used:

| | |
|----|---|
| J | Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL). |
| U | Indicates the analyte was analyzed for, but not detected. |
| ND | Indicates the analyte was analyzed for, but not detected |
| E | Indicates the reported value is estimated because of the presence of interference |
| M | Indicates Duplicate injection precision not met. |
| N | Indicates the spiked sample recovery is not within control limits. |
| S | Indicates the reported value was determined by the Method of Standard Addition (MSA). |
| * | Indicates that the duplicate analysis is not within control limits. |
| + | Indicates the correlation coefficient for the MSA is less than 0.995. |
| D | Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range. |
| M | Method qualifiers "P" for ICP instrument "PM" for ICP when Microwave Digestion is used "CV" for Manual Cold Vapor AA "AV" for automated Cold Vapor AA "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi -Automated Spectrophotometric "C" for Manual Spectrophotometric "T" for Titrimetric "NR" for analyte not required to be analyzed |
| OR | Indicates the analyte's concentration exceeds the calibrated range of the instrument for that specific analysis. |
| Q | Indicates the LCS did not meet the control limits requirements |
| H | Sample Analysis Out Of Hold Time |

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: E3848

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

1st Level QA Review Signature: HIRAL PATEL

Date: 10/02/2013

2nd Level QA Review Signature: _____

Date: _____

SAMPLE DATA

Report of Analysis

| | | | |
|-------------------|------------------------|-----------------|----------------|
| Client: | Weston Solutions, Inc. | Date Collected: | 09/24/13 15:40 |
| Project: | RFP 265 | Date Received: | 09/25/13 |
| Client Sample ID: | P001-DW-5027-3 | SDG No.: | E3848 |
| Lab Sample ID: | E3848-01 | Matrix: | SOIL |
| | | % Solid: | 100 |

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|---------------------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| Corrosivity (as pH) | 3.29 | | 1 | 0 | 0 | 0 | pH | 09/26/13 | 09/26/13 10:00 | SW9045C |
| Flashpoint | 78 | | 1 | 0 | 0 | 0 | o F | 09/26/13 | 09/26/13 11:00 | 1010A |
| Reactive Cyanide | 0.05 | U | 1 | 0.05 | 0.05 | 0.05 | mg/Kg | 09/26/13 | 09/26/13 17:41 | 9012B |
| Reactive Sulfide | 42 | | 1 | 10 | 10 | 10 | mg/Kg | 09/26/13 | 09/26/13 17:00 | 9034 |

Comments: matrix=liquid waste

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

| | | | |
|-------------------|------------------------|-----------------|----------------|
| Client: | Weston Solutions, Inc. | Date Collected: | 09/24/13 15:45 |
| Project: | RFP 265 | Date Received: | 09/25/13 |
| Client Sample ID: | P001-DW-5029-3 | SDG No.: | E3848 |
| Lab Sample ID: | E3848-02 | Matrix: | SOIL |
| | | % Solid: | 100 |

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|---------------------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| Corrosivity (as pH) | 3.62 | | 1 | 0 | 0 | 0 | pH | 09/26/13 | 09/26/13 10:04 | SW9045C |
| Flashpoint | 84 | | 1 | 0 | 0 | 0 | o F | 09/26/13 | 09/26/13 11:00 | 1010A |
| Reactive Cyanide | 0.05 | U | 1 | 0.05 | 0.05 | 0.05 | mg/Kg | 09/26/13 | 09/26/13 17:41 | 9012B |
| Reactive Sulfide | 38 | | 1 | 10 | 10 | 10 | mg/Kg | 09/26/13 | 09/26/13 17:00 | 9034 |

Comments: matrix=liquid waste

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

| | | | |
|-------------------|------------------------|-----------------|----------------|
| Client: | Weston Solutions, Inc. | Date Collected: | 09/24/13 15:50 |
| Project: | RFP 265 | Date Received: | 09/25/13 |
| Client Sample ID: | P001-DW-6006-3 | SDG No.: | E3848 |
| Lab Sample ID: | E3848-03 | Matrix: | SOIL |
| | | % Solid: | 100 |

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|---------------------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| Corrosivity (as pH) | 4 | | 1 | 0 | 0 | 0 | pH | 09/26/13 | 09/26/13 10:08 | SW9045C |
| Flashpoint | 78 | | 1 | 0 | 0 | 0 | o F | 09/26/13 | 09/26/13 11:00 | 1010A |
| Reactive Cyanide | 0.05 | U | 1 | 0.05 | 0.05 | 0.05 | mg/Kg | 09/26/13 | 09/26/13 17:41 | 9012B |
| Reactive Sulfide | 35 | | 1 | 10 | 10 | 10 | mg/Kg | 09/26/13 | 09/26/13 17:00 | 9034 |

Comments: matrix=liquid waste

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

| | | | |
|-------------------|------------------------|-----------------|----------------|
| Client: | Weston Solutions, Inc. | Date Collected: | 09/24/13 15:55 |
| Project: | RFP 265 | Date Received: | 09/25/13 |
| Client Sample ID: | P001-DW-6009-3 | SDG No.: | E3848 |
| Lab Sample ID: | E3848-04 | Matrix: | SOIL |
| | | % Solid: | 100 |

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|---------------------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| Corrosivity (as pH) | 6.51 | | 1 | 0 | 0 | 0 | pH | 09/26/13 | 09/26/13 10:12 | SW9045C |
| Flashpoint | 78 | | 1 | 0 | 0 | 0 | o F | 09/26/13 | 09/26/13 11:00 | 1010A |
| Reactive Cyanide | 0.05 | U | 1 | 0.05 | 0.05 | 0.05 | mg/Kg | 09/26/13 | 09/26/13 17:49 | 9012B |
| Reactive Sulfide | 40 | | 1 | 10 | 10 | 10 | mg/Kg | 09/26/13 | 09/26/13 17:00 | 9034 |

Comments: matrix=liquid waste

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

| | | | |
|-------------------|------------------------|-----------------|----------------|
| Client: | Weston Solutions, Inc. | Date Collected: | 09/24/13 16:00 |
| Project: | RFP 265 | Date Received: | 09/25/13 |
| Client Sample ID: | P001-DW-6010-3 | SDG No.: | E3848 |
| Lab Sample ID: | E3848-05 | Matrix: | SOIL |
| | | % Solid: | 100 |

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|---------------------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| Corrosivity (as pH) | 6.39 | | 1 | 0 | 0 | 0 | pH | 09/26/13 | 09/26/13 10:16 | SW9045C |
| Flashpoint | 76 | | 1 | 0 | 0 | 0 | o F | 09/26/13 | 09/26/13 11:00 | 1010A |
| Reactive Cyanide | 0.05 | U | 1 | 0.05 | 0.05 | 0.05 | mg/Kg | 09/26/13 | 09/26/13 17:49 | 9012B |
| Reactive Sulfide | 46 | | 1 | 10 | 10 | 10 | mg/Kg | 09/26/13 | 09/26/13 17:00 | 9034 |

Comments: matrix=liquid waste

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

| | | | |
|-------------------|------------------------|-----------------|----------------|
| Client: | Weston Solutions, Inc. | Date Collected: | 09/24/13 16:05 |
| Project: | RFP 265 | Date Received: | 09/25/13 |
| Client Sample ID: | P001-DW-6011-3 | SDG No.: | E3848 |
| Lab Sample ID: | E3848-06 | Matrix: | SOIL |
| | | % Solid: | 100 |

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|---------------------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| Corrosivity (as pH) | 4.38 | | 1 | 0 | 0 | 0 | pH | 09/26/13 | 09/26/13 10:20 | SW9045C |
| Ignitability | NO | | 1 | 0 | 0 | 0 | o C | 09/26/13 | 09/26/13 09:00 | 1030 |
| Reactive Cyanide | 0.05 | U | 1 | 0.05 | 0.05 | 0.05 | mg/Kg | 09/26/13 | 09/26/13 17:49 | 9012B |
| Reactive Sulfide | 42 | | 1 | 10 | 10 | 10 | mg/Kg | 09/26/13 | 09/26/13 17:00 | 9034 |

Comments: matrix=liquid waste

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

| | | | |
|-------------------|------------------------|-----------------|----------------|
| Client: | Weston Solutions, Inc. | Date Collected: | 09/24/13 16:10 |
| Project: | RFP 265 | Date Received: | 09/25/13 |
| Client Sample ID: | P001-DW-6017-3 | SDG No.: | E3848 |
| Lab Sample ID: | E3848-07 | Matrix: | SOIL |
| | | % Solid: | 100 |

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|---------------------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| Corrosivity (as pH) | 10.22 | | 1 | 0 | 0 | 0 | pH | 09/26/13 | 09/26/13 10:24 | SW9045C |
| Flashpoint | 80 | | 1 | 0 | 0 | 0 | o F | 09/26/13 | 09/26/13 11:00 | 1010A |
| Reactive Cyanide | 0.05 | U | 1 | 0.05 | 0.05 | 0.05 | mg/Kg | 09/26/13 | 09/26/13 17:49 | 9012B |
| Reactive Sulfide | 37 | | 1 | 10 | 10 | 10 | mg/Kg | 09/26/13 | 09/26/13 17:00 | 9034 |

Comments: matrix=liquid waste

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

| | | | |
|-------------------|------------------------|-----------------|----------------|
| Client: | Weston Solutions, Inc. | Date Collected: | 09/24/13 16:15 |
| Project: | RFP 265 | Date Received: | 09/25/13 |
| Client Sample ID: | P001-DW-6018-3 | SDG No.: | E3848 |
| Lab Sample ID: | E3848-08 | Matrix: | SOIL |
| | | % Solid: | 100 |

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|---------------------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| Corrosivity (as pH) | 12.26 | | 1 | 0 | 0 | 0 | pH | 09/26/13 | 09/26/13 10:32 | SW9045C |
| Flashpoint | 80 | | 1 | 0 | 0 | 0 | o F | 09/26/13 | 09/26/13 11:00 | 1010A |
| Reactive Cyanide | 0.05 | U | 1 | 0.05 | 0.05 | 0.05 | mg/Kg | 09/26/13 | 09/26/13 17:49 | 9012B |
| Reactive Sulfide | 43 | | 1 | 10 | 10 | 10 | mg/Kg | 09/26/13 | 09/26/13 17:00 | 9034 |

Comments: matrix=liquid waste

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

| | | | |
|-------------------|------------------------|-----------------|----------------|
| Client: | Weston Solutions, Inc. | Date Collected: | 09/24/13 16:20 |
| Project: | RFP 265 | Date Received: | 09/25/13 |
| Client Sample ID: | P001-DW-6021-3 | SDG No.: | E3848 |
| Lab Sample ID: | E3848-09 | Matrix: | SOIL |
| | | % Solid: | 100 |

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|---------------------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| Corrosivity (as pH) | 13.08 | | 1 | 0 | 0 | 0 | pH | 09/26/13 | 09/26/13 10:40 | SW9045C |
| Flashpoint | 78 | | 1 | 0 | 0 | 0 | o F | 09/26/13 | 09/26/13 11:00 | 1010A |
| Reactive Cyanide | 0.05 | U | 1 | 0.05 | 0.05 | 0.05 | mg/Kg | 09/26/13 | 09/26/13 17:49 | 9012B |
| Reactive Sulfide | 42 | | 1 | 10 | 10 | 10 | mg/Kg | 09/26/13 | 09/26/13 17:00 | 9034 |

Comments: matrix=liquid waste

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

| | | | |
|-------------------|------------------------|-----------------|----------------|
| Client: | Weston Solutions, Inc. | Date Collected: | 09/24/13 16:25 |
| Project: | RFP 265 | Date Received: | 09/25/13 |
| Client Sample ID: | P001-DW-6024-3 | SDG No.: | E3848 |
| Lab Sample ID: | E3848-10 | Matrix: | SOIL |
| | | % Solid: | 100 |

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|---------------------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| Corrosivity (as pH) | 8.07 | | 1 | 0 | 0 | 0 | pH | 09/26/13 | 09/26/13 10:44 | SW9045C |
| Flashpoint | 88 | | 1 | 0 | 0 | 0 | o F | 09/26/13 | 09/26/13 11:00 | 1010A |
| Reactive Cyanide | 0.05 | U | 1 | 0.05 | 0.05 | 0.05 | mg/Kg | 09/26/13 | 09/26/13 17:49 | 9012B |
| Reactive Sulfide | 38 | | 1 | 10 | 10 | 10 | mg/Kg | 09/26/13 | 09/26/13 17:00 | 9034 |

Comments: matrix=liquid waste

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

| | | | |
|-----------------|------------------------|-------------------|----------------------|
| OrderID: | E3848 | OrderDate: | 9/25/2013 1:19:00 PM |
| Client: | Weston Solutions, Inc. | Project: | RFP 265 |
| Contact: | Smita Sumbaly | Location: | E62 |

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|-----------------|-----------------------|-------------|------------------|--------|-----------------------|-----------|----------------|-----------------|
| E3848-01 | P001-DW-5027-3 | SOIL | | | 09/24/13 15:40 | | | 09/25/13 |
| | | | Corrosivity | 9045C | | 09/26/13 | 09/26/13 10:00 | |
| | | | Flash Point | 1010A | | 09/26/13 | 09/26/13 11:00 | |
| | | | Reactive Cyanide | 9012B | | 09/26/13 | 09/26/13 17:41 | |
| | | | Reactive Sulfide | 9034 | | 09/26/13 | 09/26/13 17:00 | |
| E3848-02 | P001-DW-5029-3 | SOIL | | | 09/24/13 15:45 | | | 09/25/13 |
| | | | Corrosivity | 9045C | | 09/26/13 | 09/26/13 10:04 | |
| | | | Flash Point | 1010A | | 09/26/13 | 09/26/13 11:00 | |
| | | | Reactive Cyanide | 9012B | | 09/26/13 | 09/26/13 17:41 | |
| | | | Reactive Sulfide | 9034 | | 09/26/13 | 09/26/13 17:00 | |
| E3848-03 | P001-DW-6006-3 | SOIL | | | 09/24/13 15:50 | | | 09/25/13 |
| | | | Corrosivity | 9045C | | 09/26/13 | 09/26/13 10:08 | |
| | | | Flash Point | 1010A | | 09/26/13 | 09/26/13 11:00 | |
| | | | Reactive Cyanide | 9012B | | 09/26/13 | 09/26/13 17:41 | |
| | | | Reactive Sulfide | 9034 | | 09/26/13 | 09/26/13 17:00 | |
| E3848-04 | P001-DW-6009-3 | SOIL | | | 09/24/13 15:55 | | | 09/25/13 |
| | | | Corrosivity | 9045C | | 09/26/13 | 09/26/13 10:12 | |
| | | | Flash Point | 1010A | | 09/26/13 | 09/26/13 11:00 | |
| | | | Reactive Cyanide | 9012B | | 09/26/13 | 09/26/13 17:49 | |
| | | | Reactive Sulfide | 9034 | | 09/26/13 | 09/26/13 17:00 | |
| E3848-05 | P001-DW-6010-3 | SOIL | | | 09/24/13 16:00 | | | 09/25/13 |
| | | | Corrosivity | 9045C | | 09/26/13 | 09/26/13 10:16 | |
| | | | Flash Point | 1010A | | 09/26/13 | 09/26/13 11:00 | |
| | | | Reactive Cyanide | 9012B | | 09/26/13 | 09/26/13 17:49 | |
| | | | Reactive Sulfide | 9034 | | 09/26/13 | 09/26/13 17:00 | |
| E3848-06 | P001-DW-6011-3 | SOIL | | | 09/24/13 16:05 | | | 09/25/13 |
| | | | Corrosivity | 9045C | | 09/26/13 | 09/26/13 10:20 | |
| | | | Ignitability | 1030 | | 09/26/13 | 09/26/13 09:00 | |

LAB CHRONICLE

| | | | | | | |
|-----------------|-----------------------|-------------|------------------|-------|-----------------------|-----------------|
| | | | Reactive Cyanide | 9012B | 09/26/13 | 09/26/13 17:49 |
| | | | Reactive Sulfide | 9034 | 09/26/13 | 09/26/13 17:00 |
| E3848-07 | P001-DW-6017-3 | SOIL | | | 09/24/13 16:10 | 09/25/13 |
| | | | Corrosivity | 9045C | 09/26/13 | 09/26/13 10:24 |
| | | | Flash Point | 1010A | 09/26/13 | 09/26/13 11:00 |
| | | | Reactive Cyanide | 9012B | 09/26/13 | 09/26/13 17:49 |
| | | | Reactive Sulfide | 9034 | 09/26/13 | 09/26/13 17:00 |
| E3848-08 | P001-DW-6018-3 | SOIL | | | 09/24/13 16:15 | 09/25/13 |
| | | | Corrosivity | 9045C | 09/26/13 | 09/26/13 10:32 |
| | | | Flash Point | 1010A | 09/26/13 | 09/26/13 11:00 |
| | | | Reactive Cyanide | 9012B | 09/26/13 | 09/26/13 17:49 |
| | | | Reactive Sulfide | 9034 | 09/26/13 | 09/26/13 17:00 |
| E3848-09 | P001-DW-6021-3 | SOIL | | | 09/24/13 16:20 | 09/25/13 |
| | | | Corrosivity | 9045C | 09/26/13 | 09/26/13 10:40 |
| | | | Flash Point | 1010A | 09/26/13 | 09/26/13 11:00 |
| | | | Reactive Cyanide | 9012B | 09/26/13 | 09/26/13 17:49 |
| | | | Reactive Sulfide | 9034 | 09/26/13 | 09/26/13 17:00 |
| E3848-10 | P001-DW-6024-3 | SOIL | | | 09/24/13 16:25 | 09/25/13 |
| | | | Corrosivity | 9045C | 09/26/13 | 09/26/13 10:44 |
| | | | Flash Point | 1010A | 09/26/13 | 09/26/13 11:00 |
| | | | Reactive Cyanide | 9012B | 09/26/13 | 09/26/13 17:49 |
| | | | Reactive Sulfide | 9034 | 09/26/13 | 09/26/13 17:00 |

SHIPPING DOCUMENTS

6.1

No: 2-092513-130258-0040

Cooler # 1 of 1

Lab: ChemTech

Lab Phone:

[illegible]

*In E847

| |
|--------------------------|
| SAMPLES TRANSFERRED FROM |
| CHAIN OF CUSTODY # |

| Items/Reason | Relinquished by | Date | Received by | Date | Time | Items/Reason | Relinquished By | Date | Received by | Date | Time |
|----------------|-----------------|---------|-------------|---------|------|--------------|-----------------|---------|-------------|---------|-------|
| Courier P/c | [Signature] | 9/25/13 | [Signature] | 9/25/13 | 1500 | [Signature] | [Signature] | 9/25/13 | Rent man | 9/25/13 | 16:50 |
| | | | | | | | | | | | |

Temp 42

Plz make below changes to login

Thanks,

Mohammad Ahmed

Lab Manager

Direct line: (908)-728-3151

Fax: (908)-789-8922

signature

Chemtech is an equal opportunity employer

Notice: The information transmitted in this e-mail message and in any attachments is intended Solely for the attention and use of the named addressee(s) and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this transmission in error, please notify us immediately by return e-mail, and permanently delete this transmission, including attachments if any, from any computer.

From: AMIT [mailto:APATEL@CHEMTECH.NET]

Sent: Thursday, September 26, 2013 8:27 AM

To: Mohammad Ahmed

Subject: need to change login

E3847-19

E3848-06 to ignitability

Amit Patel



284 Sheffield Street Mountainside NJ 07092 Tel. 908-7898900

Laboratory Certification

| State | License No. |
|---------------|----------------|
| | |
| New Jersey | 20012 |
| | |
| New York | 11376 |
| | |
| Connecticut | PH-0649 |
| | |
| Florida | E87935 |
| | |
| Louisiana | 5035 |
| | |
| Maryland | 296 |
| | |
| Massachusetts | M-NJ503 |
| | |
| Pennsylvania | 68-548 |
| | |
| Rhode Island | LAO00259 |
| | |
| Virginia | 460220 |
| | |
| Texas | T10470448-10-1 |

Other :

| | |
|--|---------------|
| DOD ELAP Certified (L-A-B Accredited), ISO/IEC 17025 | L2219 |
| | |
| Soil Permit | P330-11-00012 |
| | |
| CLP Inorganic Contract | EPW09038 |
| | |
| CLP Organic Contract | EPW11030 |

QA Control Code: A2070148